




CLS - G 3 1

ECRAN LCD
MEDICAL

Taille



Angle vision



Luminosité




Contraste



Résolution



Weight



Modèle	CLS-G31
Panel	53 cm (20.8") TFT Monochrome
Active Display size (mm)	318 (H) x 424 (V)
Native resolution portrait	1 536 x 2 048
Native resolution landscape	2 048 x 1 536
Pixel Pitch	0.207 x 0.207 mm
Grayscale Tones	1.021 from a palette of 3.061
Viewing Angles (H / V)	+/- 85 ~ +/- 85
Brightness	700 cd/m ²
Contrast Ratio	900 : 1
Response time	50 ms
Scanning Frequency	92.86 – 96.72 kHz, 60 Hz
Dot Clock	132 MHz
Input Signals	DVI standard 1.0
Input Terminal	DVI-D 24 pin
USB ports	1 upstream, 2 downstream
USB standard	Standard rev.1.1
Plug and play	VESA DDC 2B
Power requirements	AC100-120V, 200-240 V : 50/60 Hz
Power Consumption	85 watts
Power save Mode	Less than 3 watts
Built-In Sensor	Backlight Sensor
Power Management	DVI DMPM
OSD languages	Anglais, Japonnais
Height Adjustment range	82 mm
Pivot	90°
Tilt / Swivel	40° Up, 0° Down / 35° Left- Right
Dimensions (W X H X D)	With stad : 368 x 510 – 592 x 208.5 mm Without stand : 368 X 474 X 83.5 mm
Net weight	With stand : 9.5 Kg Without stand : 6.3 Kg
Hole Spacing	VESA standard (100 x 100)
Certification and standard	CE (Medical Device Directive), TUV/GM (EN60601-1), CTUVus (UL2601-1, CSA C22.2 No. 601-1), Cb (IEC600601-1), VCCI-A, FCC-A, Canadian ICES-003-A, FDA 510(k), CCC

